


SMARTGREENS 2018

7th International Conference on
Smart Cities and Green ICT Systems



PROCEEDINGS

Funchal, Madeira, Portugal

16-18 March, 2018

EDITORS

Cornel Klein
Brian Donnellan
Markus Helfert

<http://www.smartgreens.org/>

SPONSORED BY



PAPERS AVAILABLE AT



SMARTGREENS 2018

Proceedings of the
7th International Conference on
Smart Cities and Green ICT Systems

Funchal, Madeira - Portugal

March 16 - 18, 2018

Sponsored by

INSTICC - Institute for Systems and Technologies of Information, Control and Communication

In Cooperation with

ACM SIGCAS - ACM Special Interest Group on Computers & Society

IEEE Technical Area in Green Computing

Siemens

EDSO - EDSO for Smart Grids

APEA - Associação Portuguesa de Engenharia do Ambiente

OSGP Alliance

Smart Cities Council

Copyright © 2018 by SCITEPRESS – Science and Technology Publications, Lda.
All rights reserved

Edited by Cornel Klein, Brian Donnellan and Markus Helfert

Printed in Portugal

ISBN: 978-989-758-292-9

Depósito Legal: 437576/18

<http://www.smartgreens.org>
smartgreens.secretariat@insticc.org

CONTENTS

INVITED SPEAKERS

KEYNOTE SPEAKERS

- Enhanced Protection of Vulnerable Road Users – A Combined Discriminative and Generative Approach for Accurate Detection and Prediction of Pedestrian Intentions 5
Miguel A. Sotelo
- IoT Wayfaring through Urban Living Labs 7
David Prendergast
- Intelligent Transport Systems for Smart Cities - Improvement of Air Quality on Roads by Environmentally Oriented Urban Traffic Management 9
Uwe Plank-Wiedenbeck

PAPERS

FULL PAPERS

- Spatial Dependence of Solar Photovoltaic Systems: Data Gathering Process, Related Issues and Preliminary Results 15
Sergio Copiello
- Mining Sequential Patterns for Appliance Usage Prediction 23
Mathieu Kalksma, Brian Setz, Azkario Rizky Pratama, Ilche Georgievski and Marco Aiello
- Blending Acceptance as Additional Evaluation Parameter into Carbon Capture and Utilization Life-Cycle Analyses 34
K. Arning, B. Zaunbrecher, A. Sternberg, A. Bardow and M. Ziefle
- Forecasting Short-term Solar Radiation for Photovoltaic Energy Predictions 44
Alessandro Aliberti, Lorenzo Bottaccioli, Giansalvo Cirrincione, Enrico Macii, Andrea Acquaviva and Edoardo Patti
- A Model Predictive Control based Peak Shaving Application for a Grid Connected Household with Photovoltaic and Battery Storage 54
Deepranjan Dongol, Thomas Feldmann and Elmar Bollin
- Intelligent Thermal Control Method for Small-Size Air Conditioning System 64
Hung-Wen Lin, Min-Der Wu, Guan-Wen Chen and Ying Xuan Tan
- IoT Architecture for Decentralised Heating Control in Households 70
Gillian Basso, Dominique Gabioud and Pierre Roduit
- A New Crypto-classifier Service for Energy Efficiency in Smart Cities 78
Oana Stan, Mohamed-Haykel Zayani, Renaud Sirdey, Amira Ben Hamida, Alessandro Ferreira Leite and Mallek Mziou-Sallami
- A Predictive Comfort- and Energy-aware MPC-driven Approach based on a Dynamic PMV Subjectification towards Personalization in an Indoor Climate Control Scenario 89
Antonios Karatzoglou, Julian Janßen, Vethiga Srikanthan, Christof Urbaczek and Michael Beigl

Spatial Dependence of Solar Photovoltaic Systems: Data Gathering Process, Related Issues and Preliminary Results

Sergio Copiello

Department of Design and Planning, IUAV University of Venice, Dorsoduro 2206, Venice, Italy
copiello@iuav.it

Keywords: Solar Photovoltaic, Spatial Energy, Spatial Data, Peer Effects, Neighborhood Effects.

Abstract: In a previous study (Copiello and Grillenzoni, *En. Proc.*, 2017), we have proven the solar photovoltaic capacity in Italy to be characterized by spatial dependence. In that research, the units of analysis were the Italian provinces, which correspond to level 3 of the European NUTS (Nomenclature of territorial units for statistics) classification. Here we focus on new data encoded according to the Italian townships, namely, the municipalities corresponding to level 2 of the European LAU (Local administrative units) classification. The change of scale is a huge challenge, due to both the difficulty to find reliable information and the time-consuming definition of the proximity structure of the units: while the provinces are about 100, the Italian municipalities are several thousands, and each one shares the borders with many others. In particular, three neighboring regions - Veneto, Trentino-Alto Adige, and Friuli-Venezia Giulia, in North-eastern Italy - and their 1,121 towns are considered in this study, which primarily aims to delve into the issues related to the data gathering process. As far as the preliminary findings are concerned, we find more clues about the role played by the so-called neighborhood and peer effects.

1 INTRODUCTION

During the last four decades, in the Western economies, the energy production and consumption model has faced several changes, which imply that producers and consumers have experienced shifts in the energy mix. For instance, it deserves mentioning the progressive substitution of oil products with natural gas, which nowadays is the primary source to produce electricity, as well as to heat buildings, in several countries (Copiello, 2017). Moreover, it is worth recalling the ongoing transition toward the renewables. Under this framework, the last ten years have seen a sizeable increase in the amount of solar photovoltaic (PV) generation, which is about to supply a 10% share of the primary energy used in the residential sector (Copiello, 2017). The upward trend in PV energy production is expected to go on during the next years. According to the Short-Term Energy Outlook published by the Energy Information Administration (July 2017), in the U.S., the large-scale PV electricity generation should increase by 38% in 2017 and 19% in 2018, while the small-scale PV electricity generation will experience a growth of 32% and 29%, respectively. As far as long-term trends are concerned, the 2014 edition of

Technology Roadmap: Solar Photovoltaic Energy published by the International Energy Agency envisions that 16% of total electricity generation will be met by PV systems in 2050, in comparison to 2% in 2020 and 7% in 2030.

The ever-greater role played by PV systems has drawn the attention of the scholarly research, which has been engaged in analyzing the determinants of their adoption and deployment. Following a promising research strand focusing on neighborhood and peer effects, in a previous study we proven the spatial dependence that characterizes the installation of PV capacity in Italy (Copiello and Grillenzoni, 2017b). In that research, the units of analysis were the Italian provinces, which correspond to level 3 of the European NUTS (Nomenclature of territorial units for statistics) classification. Here we focus on new data encoded according to the Italian townships, namely, the municipalities corresponding to level 2 of the European LAU (Local administrative units) classification. In particular, three neighboring regions - Veneto, Trentino-Alto Adige, and Friuli-Venezia Giulia, in North-eastern Italy - and their 1,121 towns are considered (Figure 1). The dataset consists of all the PV systems that have been installed - both by households and companies, on the




Figure 1: Area of analysis: the municipalities in North-eastern Italy.

buildings’ rooftop or on the ground - during the period 2005-2016, thanks to the subsidies provided by the Italian laws named “Conto Energia” (Palmer et al., 2015).

The main purpose of this study is to delve into the issues related to the data gathering process, particularly the stage meant to define the proximity structure characterizing the units of analysis. Moreover, we aim to discuss the preliminary empirical evidence, as we find more clues about the role played by the so-called neighborhood and peer effects.

The remainder of this paper is organized as follows. Section 2 provides a brief literature review about the drivers of the adoption of PV systems, with a specific focus on the few studies dealing with the topic of spatial patterns. Section 3 is devoted to discuss the data gathering process and the related issues, particularly as regards the proximity structure of the observations. Section 4 describes the preliminary results we achieve, stressing the additional clues of spatial dependence. Finally,

Section 5 outlines the conclusions of the analysis.

2 LITERATURE REVIEW

The literature argues that the choice to adopt PV systems depend on a set of influential parameters. Balcombe et al. (2013) provide a summary of 18 earlier and contemporary studies that relate to the motivations and barriers for the adoption of microgeneration energy technologies, including both solar thermal and solar PV. Half of these studies concerns the UK, and most of the remaining involves continental Europe’s countries. The reviewed literature agrees in identifying the role played by environmental concerns and financial aspects. As far as the latter are concerned, the will to save money due to lower energy bills is a significant incentive, although counteracted by the expectation of high upfront and operating costs, not to mention long payback times and unclear impact on property

value. It looks like other motivations and barriers do matter, although there is a lack of consensus about their importance. Additional determinants emerging from the literature review performed by Balcombe et al. (2013) are as follows: age; household size; home ownership or tenancy; social class; income; education.

The survey performed by Sardianou and Genoudi (2013) focusing on the residential sector confirms some of the above findings: the consumers' willingness to adopt renewable energy sources is affected by age, education, income, electricity cost, and perceived installation and maintenance costs. The same authors claim that a tax deduction is more likely to support the acceptance of the renewables than an energy subsidy. However, it should be considered that the above results stem from a small sample, and are characterized by a low goodness of fit.

Within the domain of the renewable energies, the research strand that focuses on the adoption of PV points out the significance of the following factors to distinguish between early innovators, potential adopters, majority adopters, and rejecters: the per-capita income more than sunlight intensity (Schaffer and Brun, 2015); the costs to be incurred and their ratio to the expected benefits (Vasseur and Kemp, 2015); the built environment as well as the property ownership structure (Schaffer and Brun, 2015; Graziano and Gillingham, 2015; Balta-Ozkan et al., 2015; Sommerfeld et al., 2017).

Alongside the above empirical evidence, another phenomenon came to light following specific studies. The literature suggests that the adoption of the renewables, and especially the deployment of solar PV across a country, may be encouraged by a kind of emulation within communities and between neighbors. Let us quote the Schelly's (2014) words: "Adoption of technological innovations is arguably promoted through [a] form of informal information sharing. [...] it is not simply information, but particular communities of information. [...] For some, individuals within their neighbourhood or community provided inspiration" (p. 188). Actually, during the last few years, a promising research strand has focused on the occurrence of peer effects and neighborhood effects in order to explain the adoption of renewable energy sources, and especially PV systems. That research branch sinks its roots in the idea that spatial dependence is a key driver for the diffusion of technological innovations across territories and regions (Anselin, 1988; Keller, 2002; Schaffer and Brun, 2015).

Bollinger and Gillingham (2012) found that social interactions - namely, peer effects - play a major role in explaining the diffusion of PV panels in California. Their analysis points to the significance of two phenomena that occur within the same zip code area and give rise to social spillovers: the visibility of the PV panels is the former, the influence of word of mouth is the latter. Other studies show evidence that PV adoption is affected by the number of similar systems that have been previously installed in the same area or, more to the point, in the recent past and in the immediate surroundings (Müller and Rode, 2013; Schaffer and Brun, 2015; Graziano and Gillingham, 2015; Balta-Ozkan et al., 2015; Palm, 2016; Rode and Weber, 2016; Dharshing, 2017; Zhao et al., 2017; Copiello and Grillenzoni, 2017b). Let us consider the words of Müller and Rode (2013) that get to the heart of the matter: "imitation of spatially close precursors is indeed an explaining factor in PV adoption; [...] results confirm a localized peer effect in the adoption of PV" (p. 527). Similarly, Graziano and Gillingham (2015) "find clear evidence of spatial neighbor effects (often know as 'peer effects') from recent nearby adoptions that diminish over time and space" (p. 816). Balta-Ozkan et al. (2015), Dharshing (2017), and Copiello and Grillenzoni (2017b) confirm the occurrence of regional spillover effects. Rode and Weber (2016) show the occurrence of localized emulative behavior. Zhao et al. (2017) claim that the deployment of PV systems may be described by clusters that tend to spread in the surrounding areas.

3 DATA GATHERING PROCESS AND RELATED ISSUES

3.1 Proximity Structure

In order to investigate the occurrence of neighborhood and peer effects, the identification of the proximity structure that characterizes the unit of analysis is the most time-consuming process we had to deal with. It relies on the following stages:

- use of search engines to find the list of adjoining municipalities for each analyzed township;
- replacement of the adjoining municipalities' names with the codes provided by the National Institute of Statistics;




Figure 3: Selection of complex neighborhoods.

the concept of proximity into practice according to the shared boundaries between the analyzed municipalities. But why not to assume that the local behavior may be somehow affected by what happens in all the surrounding municipalities within a radius of, let us say, 50 kilometers? And why not to consider all the municipalities within the same province or region? Each of the above option is arbitrary and, although we prefer to adopt the first solution, the third one could be preferred for simplicity's sake. However, it looks hard to sustain that a specific way to define the proximity structure should certainly prevail among several available alternatives. Moreover, one should be aware that the above remarks are not free of consequences for the results. In other words, the empirical findings on the occurrence of spatial dependence phenomena, in turn, also depend on how the spatial relationships between the units of analysis are defined.

As regards the second topic, in our case study, the claim that “everything is related to everything else” is somehow violated by the presence of the national borders, where the spatial relationships find an unexpected interruption. For instance, in the province of Bolzano, the town of San Candido borders on the Austrian town of Sillian. The two towns are not situated on the opposite slopes of high mountains, instead they are both located along the Drava River in the Puster Valley. Moreover, they are well linked by a primary road, and border controls are no more carried out thanks to the Schengen Agreement, not to mention that more than 80% of the inhabitants in the Italian town of San Candido are German native speakers. The same situation can be found in several other municipalities, especially in the northern Alto Adige, at the Austrian border, and in the north-eastern Friuli, at the Austrian and Slovenian borders. Therefore, there is no reason to neglect the occurrence of cross-border relationships and dependencies, except that we have no data on the installed photovoltaic systems outside of Italy. Obviously that data can be searched for, but we must consider that they have a different nature and origin.

Indeed, we are analyzing the photovoltaic systems that were subsidized according to a sequence of Italian laws (Palmer et al., 2015). That laws were stimulated by the European Directive 2001/77/CE. The same happened in Austria, but according to different detailed rules, as well as to different timing and subsidies.

3.2 Other Parameter

The data concerning the installed PV capacity, both in each municipality and in the adjoining ones, are juxtaposed with variables belonging to the following clusters (Table 1): geoclimatic aspects (surface area, latitude, altitude, solar radiation); demography (inhabitants and population density); economy (income); social and behavioral aspects (waste recycling rate). The underlying hypotheses are as follows. The PV capacity is expected to be fostered by a lower latitude and the corresponding higher solar radiation, while it is expected to be limited by unfavorable geographic conditions, such as smaller surface area and higher altitude. The number of inhabitants and the population density are anticipated to be positively related to the installed PV capacity, since individuals and families are important targets of the policies providing incentives and subsidies for the renewables. Also, the disposable income is expected to be positively related to the installed capacity, because the adoption of PV systems involves the ability to incur investment costs, even in presence of public grants. The waste recycling rate is assumed as a proxy of the adoption of innovative and responsible behavior, hence we expect that the more the individuals and households are prone to recycle, the higher should be the installed PV capacity.

The above variables have some limitations, especially with regard to the reference period, which is not homogeneous. In particular, the data on solar radiation refer to several years ago. They stem from a research performed by ENEA, the former Italian institute for research on nuclear energy, now

National agency for new technologies, energy and sustainable economic development. The average radiation on monthly and yearly basis is extrapolated from EUMETSAT maps acquired during the period 1995-1999. The results are published only for the towns with more than 10 thousand inhabitants. However, the yearly solar radiation for different locations, according to their latitude and longitude, may be estimated using a web-based calculation tool.

Table 1: Summary of the parameters.

Code	Parameter	Unit of measure
Oipc	Overall installed power capacity	kW
Oipc _{s-1}	Oipc in the surrounding towns	kW
Oipc_05-10	Oipc 2005-2010	kW
Oipc_05-10 _{s-1}	Oipc 2005-2010 in the surrounding towns	kW
Oipc_11-16	Oipc 2011-2016	kW
Oipc_11-16 _{s-1}	Oipc 2011-2016 in the surrounding towns	kW
Area	Municipality surface area	km2
Lat	Latitude	degrees
Alt	Altitude	m
Rad	Global solar radiation	MJ/m2
Inhab	Number of inhabitants	
Dens	Population density	inhab/km2
Inc	Per capita disposable income	Euros per capita
Recycl	Share of urban wastes recycled	%

4 PRELIMINARY RESULTS

We base our preliminary findings on the following regression model, from which we expect useful suggestions in order to develop further studies:

$$\ln Oipc = \alpha + \beta \ln Oipc_{s-1} + \gamma \ln X + \varepsilon \quad (1)$$

where α is the constant, β and γ are the regression coefficients, X is the vector of the independent variables, and ε is the error term. We use a double logarithmic model since in the previous study it proved to fit better the data (Copiello and Grillenzoni, 2017b). Moreover, it allows dealing with the possible non-linear relationships between

the parameters. Since the Ordinary Least Squares (OLS) estimates are affected by heteroscedasticity, as shown by the cone-shaped scatterplot of the residuals (Figure 4), we opt for using heteroskedasticity-robust Weighted Least Squares (WLS) (Copiello and Grillenzoni, 2017a). The results are summarized in Table 2.




Figure 4: Cone-shaped scatterplot of the residuals.


Due to their implications, two empirical findings are worth attention. The first is that, contrary to the expectations, the deployment of solar PV installations has little or nothing to do with latitude and solar radiation. The second is that several clues of neighborhood and peer effects arise from the analysis.

Table 2: Summary of the results.


Dependent Parameter	Oipc β	T-stat	P-value
const.	6.1309	2.375	0.0177
Oipc _{s-1}	0.4579	13.58	0.0000
Area	0.8493	21.42	0.0000
Dens	0.8313	22.40	0.0000
Inc	-1.0487	3.843	0.0001
Adj. R ²	0.6471		

The relationship between PV systems and geoclimatic variables is quite weak with regard to the installed capacity, on the one hand, and both latitude and solar radiation, on the other hand. In Figure 5 the values of these variables are subdivided into quartiles. The correlation values are -0.38 and 0.45, respectively. It looks like the reason is the strong development of the PV capacity in Alto-Adige. Despite being an entirely mountainous region characterized by a solar radiation of 4,661 MJ/m2 on average, the more northern area of analysis has an


a. Solar photovoltaic capacity



b. Latitude



c. Solar radiation



d. Altitude




Figure 5: Relationship between PV systems and geoclimatic variables.

installed photovoltaic capacity of 1,975 kW (54 kW/Km²), which are nearly the same one can find in the Friuli region (2,151 kW, 77kW/km²), one degree of latitude to the south. To go to the root cause of that empirical finding, at least two hypotheses can be put forward. Firstly, the geoclimatic data may not tell the whole story, since during the winter a not negligible share of the solar radiation is lost in the Po Valley due to the recurrent presence of dense and persistent fog. Secondly, the propensity to adopt PV systems in Alto Adige may be ascribed to the influence of the neighboring Austria, where the government subsidies have started earlier.

The second hypothesis paves the way to the main aim of this study, which is to check whether the deployment of PV capacity is driven by

neighborhood effects, that is to say, whether the phenomenon is bolstered by emulation. The relationship between the installed capacity in each municipality and the corresponding installed capacity in the adjoining townships is positive and high. Therefore, if we aim to understand the deployment of the PV capacity and generation in a territory, then we should consider not only geoclimatic and socio-economic factors of that same territory, but also what happens with regard to the adoption of PV systems in the surroundings.

5 CONCLUSIONS

In this follow-up study, we analyze data encoded at

the municipal level, hence disaggregated at level 2 of the European LAU (Local administrative units) classification. Here we find new empirical evidence of the spatial dependence characterizing the deployment of PV capacity and generation, confirming our previous findings and the claims of the few studies that have so far looked at this promising research strand. We may conclude that some energy-related behavior, signally those concerning the adoption of renewable energy sources, spread themselves across the space due to phenomena of emulation between neighbors and peers that can be caught and expressed according to proximity measures.

However, further developments are required: by enlarging the dataset in order to include additional variables, by testing other proximity measures, and by defining not only spatial but also spatio-temporal regression models.

ACKNOWLEDGEMENTS

Statistical analysis is performed using the packages *R* v. 3.3.2 and *gretl* v. 2017b. Spatial data representation is made using the software *QGIS* v. 2.14.9.

REFERENCES

- Anselin, L., 1988. *Spatial econometrics: methods and models*. Dordrecht: Springer Kluwer.
- Balcombe, P., Rigby, D., Azapagic, A., 2013. Motivations and barriers associated with adopting microgeneration energy technologies in the UK. *Renewable and Sustainable Energy Reviews*, 22, pp.655–666.
- Balta-Ozkan, N., Yildirim, J., Connor, P. M., 2015. Regional distribution of photovoltaic deployment in the UK and its determinants: A spatial econometric approach. *Energy Economics*, 51, pp.417–429.
- Bollinger, B., Gillingham, K., 2012. Peer Effects in the Diffusion of Solar Photovoltaic Panels. *Marketing Science*, 31(6), pp.900–912.
- Copiello, S., 2017. Building energy efficiency: A research branch made of paradoxes. *Renewable and Sustainable Energy Reviews*, 69, pp.1064–1076.
- Copiello, S., Grillenzoni, C., 2017a. Is the cold the only reason why we heat our homes? Empirical evidence from spatial series data. *Applied Energy*, 193, pp.491–506.
- Copiello, S., Grillenzoni, C., 2017b. Solar photovoltaic energy and its spatial dependence *Energy Procedia*, 141, pp. 86–90.
- Dharshing, S., 2017. Household dynamics of technology adoption: A spatial econometric analysis of residential solar photovoltaic (PV) systems in Germany. *Energy Research & Social Science*, 23, pp.113–124.
- Graziano, M., Gillingham, K., 2015. Spatial patterns of solar photovoltaic system adoption: The influence of neighbors and the built environment. *Journal of Economic Geography*, 15(4), pp.815–839.
- Keller, W., 2002. Geographic localization of international technology diffusion. *American Economic Review*, 92(1), pp.120–142.
- Müller, S., Rode, J., 2013. The adoption of photovoltaic systems in Wiesbaden, Germany. *Economics of Innovation and New Technology*, 22(5), pp.519–535.
- Palm, A., 2016. Local factors driving the diffusion of solar photovoltaics in Sweden: A case study of five municipalities in an early market. *Energy Research and Social Science*, 14, pp.1–12.
- Palmer, J., Sorda, G., Madlener, R., 2015. Modeling the diffusion of residential photovoltaic systems in Italy: An agent-based simulation. *Technological Forecasting and Social Change*, 99, 106–131.
- Rode, J., Weber, A., 2016. Does localized imitation drive technology adoption? A case study on rooftop photovoltaic systems in Germany. *Journal of Environmental Economics and Management*, 78, pp.38–48.
- Sardianou, E., Genoudi, P., 2013. Which factors affect the willingness of consumers to adopt renewable energies? *Renewable Energy*, 57, pp.1–4.
- Schaffer, A. J., Brun, S., 2015. Beyond the sun—Socioeconomic drivers of the adoption of small-scale photovoltaic installations in Germany. *Energy Research & Social Science*, 10, pp.220–227.
- Schelly, C., 2014. Residential solar electricity adoption: What motivates, and what matters? A case study of early adopters. *Energy Research and Social Science*, 2, pp.183–191.
- Sommerfeld, J., Buys, L., Mengersen, K., Vine, D., 2017. Influence of demographic variables on uptake of domestic solar photovoltaic technology. *Renewable and Sustainable Energy Reviews*, 67, pp.315–323.
- Tobler, A.W.R., 1970. A Computer Movie Simulating Urban Growth in the Detroit Region. *Economic Geography*, 46, pp.234–240.
- Vasseur, V., Kemp, R., 2015. The adoption of PV in the Netherlands: A statistical analysis of adoption factors. *Renewable and Sustainable Energy Reviews*, 41, pp.483–494.
- Zhao, T., Zhou, Z., Zhang, Y., Ling, P., Tian, Y., 2017. Spatio - temporal analysis and forecasting of distributed PV systems diffusion : A case study of Shanghai using a data - driven approach. *IEEE Access*, 5, pp.5135–5148.

AUTHOR INDEX

- Acquaviva, A. 44, 262
 Aiello, M. 23
 Albayrak, S. 108
 Aliberti, A. 44
 Andújar-Montoya, M. 206
 Arning, K. 34, 325
 Arshad, N. 101
 Aslam, T. 101
- Bardow, A. 34
 Basso, G. 70
 Beigl, M. 89
 Bindner, H. 199
 Bollin, E. 54
 Bongaerts, M. 120
 Bottaccioli, L. 44, 262
 Bremser, C. 157
 Brettschneider, D. 182
- Calderaro, V. 238
 Chen, G-W. 64
 Cirrincione, G. 44
 Cobben, S. 120
 Copiello, S. 15
 Costa, G. 165
- Dang-Nguyen, D-T. 254
 Debray, F. 214
 Delinchant, B. 214
 Dongol, D. 54
 Donnellan, B. 294
 Donno, M. 173
- Feldmann, T. 54
 Frere, M. 311
- Gabioud, D. 70
 Galatoulas, F. 278, 311
 Galdi, V. 238
 Georgievski, I. 23
 Giannotti, M. 143
 Gibescu, M. 120
 Gilart-Iglesias, V. 206
 Goeller, T. 231
 Gomes, J. 270
 González, R. 120
 Graber, G. 238
 Guerard, G. 223
- Hamida, A. 78
 Hasebe, K. 352
- Helfert, M. 157, 254
 Hölker, D. 182
- Ioakimidis, C. 278, 311
- Janßen, J. 89
- Kalksma, M. 23
 Kanashiro, L. 143
 Karatzoglou, A. 89
 Kato, K. 352
 Kesavulu, M. 254
 Kloibhofer, S. 286
 Kon, F. 143
- Lamberti, F. 238
 Laurent, P. 344
 Leite, A. 78
 Levy, L-N. 223
 Lin, H-W. 64
 Linzenich, A. 190
- Macii, E. 44, 262
 Maekawa, J. 320
 Mantyneva, M. 151
 Maréchal, Y. 214
 Mayer, H. 304
 McLoughlin, S. 294
 Mohammed, A. 337
 Mora, H. 206
 Morriet, L. 214
 Mziou-Sallami, M. 78
- Nakone, B. 337
 Nebel, W. 246
 Nes-Koedam, M. 120
 Neto, M. 270
- O'Flynn, B. 173
- Pajot, C. 214
 Patti, E. 44, 262
 Pérez-delHoyo, R. 206
 Petersen, B. 199
 Piccolo, A. 238
 Pieper, C. 246
 Pierson, J-M. 165
 Piller, G. 157
 Plank-Wiedenbeck, U. 9
 Porter, R. 278
 Poulsen, B. 199
 Pourzolfaghar, Z. 157
- Pousseur, H. 223
 Pratama, A. 23
 Prendergast, D. 7, 294
- Rego, J. 270
 Roduit, P. 70
 Ruohomaa, H. 151
- Saidu, I. 337
 Santana, E. 143
 Sawall, H. 130
 Scheuriker, A. 130
 Schlitt, D. 246
 Schmidt, J. 231
 Schneider, S. 344
 Setz, B. 23
 Shimada, K. 320
 Sirdey, R. 78
 Sotelo, M. 5
 Srikanthan, V. 89
 Stan, O. 78
 Sternberg, A. 34
 Stetter, D. 130
 Stifter, M. 286
- Takai, S. 352
 Tan, Y. 64
 Tanimu, S. 337
 Thiam, C. 165
 Tomasiello, D. 143
 Tönjes, R. 182
- Übermasser, S. 286
 Urbaczek, C. 89
- Vermeiden, W. 120
 Vincent, B. 214
 Voß, M. 108
- Weihls, P. 286
 Wenninger, M. 231
 Wilhelm, M. 108
 Wu, M-D. 64
 Wurtz, F. 214
- You, S. 199
- Zaunbrecher, B. 34, 325
 Zayani, M-H. 78
 Zelger, T. 344
 Ziefle, M. 34, 190, 325



Proceedings of SMARTGREENS 2018

7th International Conference on Smart Cities and Green ICT Systems

<http://www.smartgreens.org/>

LOGISTICS PARTNER



EVENT MANAGEMENT SYSTEM



IN COOPERATION WITH



PROCEEDINGS WILL BE SUBMITTED FOR INDEXATION BY

